

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 1 of 12

**SAFETY DATA SHEET****SECTION 1. IDENTIFICATION**

Product identifier used on the label

: **ProSeal HFO**Product Code(s) : **F0745/F0735/F0755**

Recommended use of the chemical and restrictions on use

: Spray foam.  
Recommended restrictions: None known.

Chemical family : Mixture

Name, address, and telephone number  
of the supplier:**Icynene Inc.**6747 Campobello Rd.  
Mississauga, Ontario, Canada  
L5N 2L7

Supplier's Telephone # : (800) 758-7325

**24 Hr. Emergency Tel #** : (613) 996-6666Name, address, and telephone number of  
the manufacturer:

Refer to supplier

**SECTION 2. HAZARDS IDENTIFICATION**

Classification of the chemical

Brown liquid. Amine odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Eye Damage/Irritation - Category 1

Skin Irritation - Category 2

Label elements

Hazard pictogram(s)



Signal Word

Danger

Hazard statement(s)

Causes serious eye damage.

Causes skin irritation.

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 2 of 12

## SAFETY DATA SHEET

*Precautionary statement(s)*

Wash hands, face thoroughly after handling.  
Wear eye protection, protective gloves, protective clothing.  
IF ON SKIN: Wash with plenty of water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a doctor, a POISON CENTER.  
Specific treatment (see on this label)  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.

**Other hazards**

No additional information available.

<b>SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

Mixture

<u>Chemical name</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Oxirane, methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-nonylphenol (5:1)	(CAS No) 52019-35-9	<15
Diethylene glycol	(CAS No) 111-46-6	8 - 10
1-Propanol, 2,2-dimethyl-, tribromo derivative	(CAS No) 36483-57-5	<10
2-Propanol, 1-chloro-, phosphate (3:1)	(CAS No) 13674-84-5	<5
Ethylene glycol	(CAS No) 107-21-1	<1

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 3 of 12

**SAFETY DATA SHEET****SECTION 4. FIRST-AID MEASURES****Description of first aid measures**

- First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of breathing difficulties administer oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration. Seek medical advice.
- First-aid measures after skin contact : Remove contaminated clothing immediately. Wash skin thoroughly with mild soap and water. Seek medical attention immediately.
- First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Contact lenses should be removed. Immediately get medical attention.
- First-aid measures after ingestion : Rinse mouth immediately and drink plenty of water. Call a POISON CENTER or doctor/physician. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Immediately seek medical advice. Induce vomiting as directed by medical professional. Never give anything by mouth to an unconscious person. If unconscious, place in the recovery position and seek medical advice.

**SECTION 5. FIRE-FIGHTING MEASURES****Extinguishing media***Suitable extinguishing media*

- : Carbon dioxide (CO
- <sub>2</sub>
- ); Dry chemical; Alcohol resistant foam; Water fog .

*Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

**Special hazards arising from the substance or mixture / Conditions of flammability**

- : Burning produces obnoxious and toxic fumes. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

**Flammability classification (OSHA 29 CFR 1910.106)**

- : Non-flammable.

**Hazardous combustion products**

- : Carbon dioxide and carbon monoxide.

**Special protective equipment and precautions for firefighters***Protective equipment for fire-fighters*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

*Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

- : All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

- Environmental precautions** : Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 4 of 12

## SAFETY DATA SHEET

### Methods and material for containment and cleaning up

- : Ventilate the area. Prevent further leakage or spillage if safe to do so. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

### Special spill response procedures

- : Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### Conditions for safe storage

- : Store in cool/well-ventilated place. Store locked up. Protect from sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking.

### Incompatible materials

- : Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b><u>Exposure Limits:</u></b>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>

### Ventilation and engineering measures

- : Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof equipment. In case of insufficient ventilation wear suitable respiratory equipment.

### Respiratory protection

- : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

### Skin protection

- : Wear protective gloves/clothing. Advice should be sought from glove suppliers.

### Eye / face protection

- : Wear eye/face protection. Tightly fitting safety goggles

### Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

### General hygiene considerations

- : Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing home. Handle in accordance with good industrial hygiene and safety practice.

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 5 of 12

**SAFETY DATA SHEET**

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	: Dark;orange to brown liquid.
<b>Odour</b>	: Amine odour.
<b>Odour threshold</b>	: No information available.
<b>pH</b>	: Not available.
<b>Melting/Freezing point</b>	: No information available.
pH	: >= 7
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °C (closed cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.15 - 1.17 g/cm <sup>3</sup> @ 25°C (Bulk Density)
Solubility	: Water: Slightly soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 800 - 1000 mPa.s @ 23 °C
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 6 of 12

## SAFETY DATA SHEET

**Other physical/chemical comments**

: No additional information.

### SECTION 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	: Not normally reactive.
<b>Chemical stability</b>	: Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	: Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	: Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Protect from sunlight. Temperatures above 26oC / 80oF. Moisture. Freezing. Direct sunlight. Excessive heat.
<b>Incompatible materials</b>	: See Section 7 (Handling and Storage) for further details.
<b>Hazardous decomposition products</b>	: See Section 5 (Fire Fighting Measures). Carbon oxides (CO, CO2).

### SECTION 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure:**

Acute toxicity : Not classified

<b>Ethylene glycol (107-21-1)</b>	
LD50 oral rat	4000 mg/kg
ATE US (oral)	500.00000000 mg/kg bodyweight
<b>Diethylene glycol (111-46-6)</b>	
LD50 oral rat	12565 mg/kg
LD50 dermal rabbit	11890 mg/kg
ATE US (oral)	500.00000000 mg/kg bodyweight
<b>2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)</b>	
LD50 oral rat	930 - 1550 mg/kg
<b>2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)</b>	
LD50 dermal rabbit	1230 mg/kg
LC50 inhalation rat (mg/l)	> 17.8 mg/l (Exposure time: 1 h)
ATE US (oral)	930.00000000 mg/kg bodyweight
ATE US (dermal)	1230.00000000 mg/kg bodyweight

**ProSeal HFO**

**SDS Preparation Date (mm/dd/yyyy): 01/19/2018**

Page 7 of 12

**SAFETY DATA SHEET**

Skin corrosion/irritation	: Causes skin irritation. pH: >= 7
Serious eye damage/irritation	: Causes serious eye damage. pH: >= 7
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Symptoms/injuries after inhalation	: Inhalation of mist or aerosol may cause irritation to nose and throat . May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Can occur: Gastrointestinal disturbance. Incoordination, dizziness, headache, nausea, mental confusion slurred speech depending to quantity of ingested material.

**SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity**

<b>Ethylene glycol (107-21-1)</b>	
LC50 fishes 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Diethylene glycol (111-46-6)</b>	
LC50 fishes 1	75200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	84000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)</b>	
LC50 fishes 1	56.2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	63 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	45 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC50 fish 2	180 mg/l (Exposure time: 96 h - Species: Leuciscus idus [static])
EC50 other aquatic organisms 2	4 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 8 of 12

**SAFETY DATA SHEET**

**Bioaccumulative potential**

<b>Ethylene glycol (107-21-1)</b>	
Log Pow	-1.93
<b>Diethylene glycol (111-46-6)</b>	
BCF fish 1	100 - 180
Log Pow	-1.98 (at 25 °C)
<b>2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)</b>	
BCF fish 1	1.9 - 4.6
Log Pow	2.59

**Persistence and degradability** : No additional information available.

**Mobility in soil** : No additional information available.

**Other adverse effects**

Effect on ozone layer : No additional information available.

Effect on global warming : No additional information available.

**SECTION 13. DISPOSAL CONSIDERATIONS**

- Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Product wastes can often be incinerated in approved facilities. Consult the appropriate authorities about waste disposal.
- Additional information : Do not re-use empty containers. Do not dispose of waste into sewer. Do not cut, grind, drill, weld, reuse or dispose off containers unless adequate precautions are taken against these hazards.  
Container Disposal:  
Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Refer to 40 CFR § 261.7 (residues of hazardous waste in empty containers). Decontaminate containers prior to disposal. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Ensure all national/local regulations are observed.
- Ecology - waste materials : Avoid release to the environment.

**SECTION 14. TRANSPORTATION INFORMATION**

In accordance with DOT  
Not regulated for transport

Other information : No supplementary information available.

**ADR**

Transport document description : No additional information available

**Transport by sea**

No additional information available

**Air transport**

No additional information available



ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 9 of 12

## SAFETY DATA SHEET

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Regulations

<b>Ethylene glycol (107-21-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on United States SARA Section 313	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	5000 lb
SARA Section 313 - Emission Reporting	1.0 %
<b>Diethylene glycol (111-46-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Diethylene glycol (111-46-6)</b>	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### International Regulations

##### CANADA

<b>Ethylene glycol (107-21-1)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
<b>Diethylene glycol (111-46-6)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects

#### EU-Regulations

<b>Ethylene glycol (107-21-1)</b>	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 10 of 12

## SAFETY DATA SHEET

### National Regulations

Ethylene glycol (107-21-1)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List)

### US State Regulations

No additional information available

### SECTION 16. OTHER INFORMATION

Indication of changes : according to the federal final rule of hazard communication revised on 2012 (HazCom 2012).  
3. Composition/information on ingredients. 2.1. Classification of the substance or mixture.

Revision date : 10/6/2014 12:00:00 AM

Sources of Key data : Data sources: SDS - Safety Data Sheet.

Abbreviations and acronyms : CAS - Chemical Abstracts Service. CSR - Chemical Safety Report. EC - European Community. EEC - European Economic Community. MSDS - Material Safety Data Sheet. PBT - Persistent, Bioaccumulative and Toxic substance. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average. vPvB - Very Persistent and Very Bioaccumulative.

Full text of H-phrases: see section 16:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure

### HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible  
 Flammability : 1 Slight Hazard  
 Physical : 1 Slight Hazard

### Canadian Information:

Canadian Environmental Protection Act (CEPA): All ingredients listed appear on the Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL). WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 11 of 12

**SAFETY DATA SHEET****Legend**

:

ACGIH: American Conference of Governmental Industrial Hygienists  
AICS: Australian Inventory of Chemical Substances  
ATE: Acute Toxicity Estimate  
CA: California  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CFR: Code of Federal Regulations  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
ECHA: European Chemicals Agency  
ECOTOX: U.S. EPA Ecotoxicology Database  
EINECS: European Inventory of Existing Commercial chemical Substances  
ENCS: Existing and New Chemical Substances  
EPA: Environmental Protection Agency  
HSDB: Hazardous Substances Data Bank  
IARC: International Agency for Research on Cancer  
IBC: Intermediate Bulk Container  
IECSC: Inventory of Existing Chemical Substances  
IMDG: International Maritime Dangerous Goods  
IOC: Inventory of Chemicals  
IUCLID: International Uniform Chemical Information Database  
KECI: Korean Existing Chemicals Inventory  
KECL: Korean Existing Chemicals List  
LC: Lethal Concentration  
LD: Lethal Dose  
MA: Massachusetts  
MN: Minnesota  
N/Ap: Not Applicable  
N/Av: Not Available  
NIOSH: National Institute of Occupational Safety and Health  
NJ: New Jersey  
NOEC: No observable effect concentration  
NTP: National Toxicology Program  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PA: Pennsylvania  
PEL: Permissible exposure limit  
PICCS: Philippine Inventory of Chemicals and Chemical Substances  
RCRA: Resource Conservation and Recovery Act  
RI: Rhode Island  
RTECS: Registry of Toxic Effects of Chemical Substances  
SARA: Superfund Amendments and Reauthorization Act  
SDS: Safety Data Sheet / Material Safety Data Sheet  
STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TSCA: Toxic Substance Control Act  
TWA: Time Weighted Average  
WHMIS: Workplace Hazardous Materials Identification System

ProSeal HFO

SDS Preparation Date (mm/dd/yyyy): 01/19/2018

Page 12 of 12

**SAFETY DATA SHEET**

**References** : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016  
2. International Agency for Research on Cancer Monographs, searched 2017  
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2017(Chempendium, HSDB and RTECs).  
4. Material Safety Data Sheets from manufacturer.  
5. US EPA Title III List of Lists - 2017 version.  
6. California Proposition 65 List - 2017 version.  
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2017.

**Preparation Date (mm/dd/yyyy)**

: 01/19/2018

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<b><u>Prepared for:</u></b> Icynene Inc. 6747 Campobello Road Mississauga ON L5N 2L7 Telephone: 800-758-7325	
<b><u>Prepared by:</u></b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a>	

**DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Icynene Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Icynene Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this Safety Data Sheet does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Icynene Inc.

**END OF DOCUMENT**